

<b>LISTA DE CALIFICACIONES ASPIRANTES EXAMEN PREMEDICO</b>		
<b>MATRICULA</b>	<b>CALIFICACION</b>	<b>30%</b>
S200018	6.00	1.8
S200022	2.20	0.66
S200021	3.30	0.99
S200037	3.70	1.11
PROP58408	2.40	0.72
S200032	2.70	0.81
S200040	6.00	1.8
S200039	3.30	0.99
S200035	0.00	0
S200034	5.60	1.68
S200030	6.40	1.92
S200045	4.20	1.26
S200047	3.90	1.17
S200050	2.30	0.69
S200056	6.80	2.04
S200059	3.00	0.9
S200063	4.10	1.23
S200066	3.50	1.05
S200067	6.90	2.07
S200073	2.60	0.78
S200070	2.80	0.84
S200072	3.70	1.11
S200075	5.30	1.59
S200080	2.70	0.81
S200092	5.90	1.77
S207881	4.20	1.26
S200093	4.40	1.32
S200090	3.80	1.14
S200091	3.20	0.96
S200103	6.80	2.04
S200106	3.20	0.96
S200110	6.50	1.95
S200111	5.00	1.5
S200112	6.60	1.98
S200116	5.20	1.56
S200121	5.30	1.59
S200123	7.70	2.31
S200125	5.80	1.74
S200126	3.40	1.02
S200124	6.20	1.86
S200128	3.80	1.14
S200127	4.60	1.38
S200129	6.80	2.04

S200138	3.40	1.02
S200139	4.50	1.35
S200142	4.20	1.26
S200150	4.50	1.35
S200151	3.00	0.9
S200156	5.00	1.5
S200157	3.70	1.11
S200161	2.80	0.84
S200162	3.10	0.93
S200172	4.20	1.26
S200173	2.20	0.66
S200171	5.40	1.62
S200168	5.30	1.59
S200180	4.90	1.47
S200183	3.20	0.96
S200184	3.10	0.93
S200186	2.70	0.81
S200194	4.20	1.26
S200197	2.60	0.78
S200199	3.10	0.93
S200209	7.70	2.31
S200216	3.30	0.99
S200223	0.00	0
S200224	1.90	0.57
S200225	4.10	1.23
S200228	2.80	0.84
S200227	6.10	1.83
S200231	3.40	1.02
S200232	2.50	0.75
S200229	4.20	1.26
S200236	2.70	0.81
S200238	4.10	1.23
S200239	4.40	1.32
S200240	4.00	1.2
S200243	3.00	0.9
S200247	0.00	0
S200248	5.30	1.59
S200246	3.10	0.93
S200254	3.20	0.96
S200256	3.50	1.05
S200258	3.80	1.14
S200257	5.70	1.71
S200261	0.00	0
S200267	5.80	1.74
S200269	2.80	0.84
S200272	5.10	1.53
S200274	4.50	1.35

S200282	3.10	0.93
S200289	4.10	1.23
S200287	3.90	1.17
S200292	3.00	0.9
S200296	6.70	2.01
S200302	5.70	1.71
S200303	5.60	1.68
S200304	3.40	1.02
S200307	4.40	1.32
S200312	3.60	1.08
S200313	6.70	2.01
S200315	4.30	1.29
S200316	3.40	1.02
S200319	3.80	1.14
S200324	5.10	1.53
S200327	4.10	1.23
S200329	2.30	0.69
S200338	5.50	1.65
S200341	5.30	1.59
S200339	4.30	1.29
S200332	3.10	0.93
S200334	2.30	0.69
S200335	4.20	1.26
S200345	5.20	1.56
S200356	3.40	1.02
S200358	4.10	1.23
S200359	2.80	0.84
PROP58499	3.10	0.93
S200365	3.40	1.02
S200373	4.40	1.32
S200369	2.90	0.87
S200371	4.10	1.23
S200376	3.20	0.96
S200377	3.70	1.11
S200381	3.30	0.99
S200383	3.30	0.99
S200384	5.90	1.77
S200386	4.40	1.32
S200388	2.20	0.66
S200394	3.50	1.05
S200397	3.80	1.14
S200393	2.60	0.78
S200406	4.20	1.26
S200411	4.40	1.32
S200412	3.80	1.14
S200413	5.00	1.5
S200419	3.10	0.93

S200423	3.70	1.11
S200424	4.70	1.41
S200429	7.30	2.19
S200449	2.70	0.81
S200451	4.30	1.29
S200459	3.80	1.14
S200471	6.90	2.07
S200475	2.50	0.75
S200476	2.60	0.78
S200480	3.90	1.17
S200481	7.20	2.16
S200482	7.20	2.16
S200486	5.00	1.5
S200489	5.60	1.68
PROP58411	3.30	0.99
S200498	4.90	1.47
S200496	3.00	0.9
S200499	2.70	0.81
S200502	3.70	1.11
S200503	2.60	0.78
S200519	5.70	1.71
S200520	5.10	1.53
S200522	6.10	1.83
S200524	6.60	1.98
S200529	4.70	1.41
S200530	2.90	0.87
S200531	6.50	1.95
S200534	5.60	1.68
S200536	4.50	1.35
S200537	2.70	0.81
S200549	0.00	0
S200550	3.10	0.93
S200551	3.50	1.05
S200552	4.30	1.29
S200561	4.10	1.23
S200562	3.20	0.96
S200566	3.20	0.96
S200571	6.90	2.07
S200574	5.60	1.68
S200575	4.40	1.32
S200578	3.40	1.02
S200593	0.00	0
S200582	3.60	1.08
S200581	3.60	1.08
S200591	3.40	1.02
S200597	0.00	0
S200596	2.70	0.81

S200594	2.80	0.84
S200601	4.20	1.26
S200602	3.90	1.17
S200604	6.50	1.95
S200605	2.60	0.78
S200606	2.50	0.75
S200611	3.80	1.14
S200614	4.30	1.29
S200622	6.40	1.92
S200628	5.20	1.56
S200632	3.00	0.9
S200634	5.40	1.62
S200650	5.10	1.53
S200678	3.60	1.08
S200654	3.50	1.05
S200699	3.50	1.05
S200664	6.10	1.83
S200656	2.40	0.72
S200684	3.30	0.99
S200694	3.50	1.05
S200662	4.80	1.44
S200680	5.80	1.74
S200659	3.80	1.14
S200653	4.10	1.23
S200691	5.70	1.71
S200640	2.00	0.6
S200638	3.60	1.08
S200639	3.20	0.96
S200697	6.40	1.92
S200647	3.50	1.05
S200682	3.70	1.11
S200703	2.80	0.84
S200641	3.00	0.9
S200689	3.50	1.05
S200672	5.30	1.59
S200695	4.60	1.38
S200667	3.00	0.9
S200687	4.00	1.2
S200704	6.30	1.89
S200683	5.70	1.71
S200708	3.50	1.05
S200706	4.30	1.29
S200712	7.10	2.13
S200716	6.50	1.95
S200718	5.50	1.65
S200727	2.30	0.69
S200729	5.90	1.77

S200723	2.60	0.78
S200720	3.30	0.99
S200768	3.90	1.17
S200775	7.10	2.13
S200764	4.10	1.23
S200757	3.50	1.05
S200767	3.70	1.11
S200746	4.80	1.44
S200796	6.40	1.92
S200770	0.00	0
S200792	3.50	1.05
S200736	0.00	0
S200741	2.30	0.69
S200774	2.60	0.78
S200769	4.50	1.35
S200800	4.80	1.44
S200777	2.50	0.75
S200753	4.50	1.35
S200758	5.00	1.5
S200798	0.00	0
S200801	2.90	0.87
S200815	0.00	0
S200826	2.90	0.87
S200824	0.00	0
S200823	4.60	1.38
S200832	0.00	0
S200835	0.00	0
S200846	6.80	2.04
S200842	3.00	0.9
S200837	4.00	1.2
S200852	3.60	1.08
S200851	6.40	1.92
S200854	2.60	0.78
S200874	4.60	1.38
S200914	5.60	1.68
S200866	2.30	0.69
S200884	5.80	1.74
S200897	3.30	0.99
S200870	2.70	0.81
S200871	5.10	1.53
S200908	4.80	1.44
S200881	0.00	0
S200880	2.00	0.6
S200909	3.40	1.02
S200911	4.00	1.2
S200891	2.80	0.84
S200927	3.60	1.08

S200922	5.90	1.77
S200931	3.10	0.93
S200886	4.40	1.32
S200887	6.80	2.04
S200936	2.50	0.75
S200933	3.30	0.99
S200882	3.40	1.02
S200862	5.80	1.74
S200888	3.30	0.99
S200929	3.30	0.99
S200937	7.90	2.37
S200915	4.50	1.35
S200906	5.30	1.59
S200951	5.10	1.53
S200947	3.00	0.9
S200952	3.20	0.96
S200955	4.10	1.23
S200960	5.10	1.53
S200961	4.50	1.35
S200962	2.90	0.87
S200967	3.00	0.9
S200963	4.50	1.35
S200966	3.70	1.11
S200974	4.60	1.38
S200986	4.90	1.47
S200981	7.00	2.1
S200987	4.40	1.32
S200990	5.90	1.77
S200984	3.00	0.9
S200994	4.70	1.41
S200983	3.40	1.02
S201002	3.40	1.02
S202297	2.90	0.87
S201005	6.10	1.83
S201010	3.90	1.17
S201013	5.20	1.56
S201015	4.10	1.23
S201020	6.40	1.92
S201021	3.50	1.05
S201029	3.30	0.99
S201028	2.80	0.84
S201027	4.50	1.35
S201031	3.10	0.93
S201032	6.40	1.92
S201035	5.30	1.59
S201037	3.40	1.02
S201040	5.10	1.53

S201044	2.80	0.84
S201049	3.30	0.99
S201051	5.80	1.74
S201082	5.70	1.71
S201087	3.80	1.14
S201086	4.40	1.32
S201088	4.70	1.41
S201052	2.80	0.84
S201062	3.10	0.93
S201074	2.80	0.84
S201063	5.00	1.5
S201091	2.00	0.6
S201093	3.80	1.14
S201094	4.60	1.38
S201107	5.40	1.62
S201112	3.80	1.14
S201110	6.50	1.95
S201106	3.10	0.93
PROP58054	3.00	0.9
S201122	4.90	1.47
S201128	4.40	1.32
S201130	5.90	1.77
S201136	6.00	1.8
S201138	0.00	0
S201139	4.50	1.35
S201142	5.00	1.5
S201143	3.00	0.9
S201144	5.30	1.59
S201147	3.00	0.9
S201149	4.80	1.44
S201190	3.80	1.14
S201188	2.80	0.84
S201181	4.00	1.2
S201194	6.30	1.89
S201178	3.10	0.93
S201198	3.30	0.99
S201172	3.90	1.17
S201157	2.50	0.75
S201166	4.40	1.32
S201200	2.80	0.84
S201186	3.40	1.02
S201195	4.00	1.2
S201177	3.20	0.96
S201199	3.00	0.9
S201150	3.30	0.99
S201167	2.50	0.75
S201158	3.40	1.02

S201205	4.70	1.41
S201212	5.70	1.71
S201210	5.10	1.53
S201214	3.70	1.11
S201208	4.60	1.38
S201215	4.40	1.32
S201217	6.10	1.83
S201218	3.80	1.14
S201216	7.60	2.28
S201233	6.40	1.92
S201241	5.90	1.77
S201242	5.80	1.74
S201239	3.50	1.05
S201245	3.00	0.9
S201246	3.80	1.14
S201252	3.60	1.08
S201248	6.10	1.83
S201254	3.90	1.17
S201251	3.10	0.93
S201267	4.90	1.47
S201264	3.00	0.9
S201269	3.90	1.17
S201272	4.80	1.44
S201270	3.70	1.11
S201271	3.20	0.96
S201280	2.80	0.84
S201285	4.60	1.38
S201291	2.50	0.75
S201293	5.90	1.77
S201304	3.60	1.08
S201309	3.60	1.08
S201310	0.00	0
S201313	4.70	1.41
S201319	2.60	0.78
S201327	6.00	1.8
S201321	3.60	1.08
S201331	3.00	0.9
S201334	2.60	0.78
S201339	4.40	1.32
S201349	0.00	0
S201352	2.00	0.6
S201354	3.00	0.9
S201355	6.40	1.92
S201362	5.00	1.5
S201359	3.40	1.02
S201356	4.70	1.41
S201370	3.50	1.05

S201372	3.80	1.14
S201379	3.10	0.93
S201380	5.10	1.53
S201381	2.80	0.84
S201382	0.00	0
S201384	5.20	1.56
S201386	4.70	1.41
S201391	4.30	1.29
S201394	3.70	1.11
S201395	2.60	0.78
S201401	3.20	0.96
S201399	6.50	1.95
S201403	5.90	1.77
S201404	5.00	1.5
S201418	4.70	1.41
S201417	2.60	0.78
S201410	5.40	1.62
S201412	2.90	0.87
S201419	3.20	0.96
S201413	3.70	1.11
S201409	4.20	1.26
S201421	0.00	0
S201429	0.00	0
S201430	4.90	1.47
S201431	3.80	1.14
S201453	3.60	1.08
S201448	4.40	1.32
S201454	7.50	2.25
S201458	5.30	1.59
S201464	4.30	1.29
S201463	2.30	0.69
S201465	0.00	0
S201466	5.30	1.59
S201473	2.70	0.81
S201475	3.10	0.93
S201476	0.00	0
S201479	2.90	0.87
S201481	5.60	1.68
S201483	5.40	1.62
S201489	3.10	0.93
S201490	3.20	0.96
S201505	5.50	1.65
S201500	5.40	1.62
S201502	6.10	1.83
S201531	4.60	1.38
S201541	4.40	1.32
S201508	5.10	1.53

S201533	3.60	1.08
S201520	3.90	1.17
S201527	3.10	0.93
S201526	3.10	0.93
S201501	4.00	1.2
S201540	3.20	0.96
S201536	0.00	0
S201544	5.90	1.77
S201494	5.90	1.77
S201497	2.80	0.84
S201498	3.60	1.08
S201549	3.10	0.93
S201552	7.40	2.22
S201553	7.00	2.1
S201557	3.40	1.02
S201556	0.00	0
S201561	5.30	1.59
S201563	1.90	0.57
S201569	2.80	0.84
S201575	4.10	1.23
S201577	5.30	1.59
S201602	6.10	1.83
S201612	5.00	1.5
S201609	7.10	2.13
S201607	3.70	1.11
S201598	4.20	1.26
S201606	2.80	0.84
S201583	3.40	1.02
S201588	3.60	1.08
S201594	5.40	1.62
S201622	3.20	0.96
S201625	0.00	0
S201628	3.50	1.05
S201631	4.00	1.2
S201634	3.00	0.9
S201636	3.60	1.08
S201641	0.00	0
S201642	3.10	0.93
S201648	2.90	0.87
S201657	3.00	0.9
S201647	3.20	0.96
S201644	5.00	1.5
S201655	3.60	1.08
S201671	3.90	1.17
S201674	4.20	1.26
S201676	2.70	0.81
S201677	5.40	1.62

S201683	3.40	1.02
S201693	3.70	1.11
S201692	6.10	1.83
S201691	3.40	1.02
S201689	2.90	0.87
S201694	3.60	1.08
S201705	3.00	0.9
S201709	2.80	0.84
S201706	4.30	1.29
S201707	6.80	2.04
S201710	2.90	0.87
S201712	5.20	1.56
S201728	4.00	1.2
S201752	5.50	1.65
S201751	2.80	0.84
S201762	6.00	1.8
S201735	2.40	0.72
S201721	4.30	1.29
S201760	5.70	1.71
S201758	0.00	0
S201720	4.70	1.41
S201770	5.40	1.62
S201767	5.50	1.65
S201775	6.10	1.83
S201792	5.70	1.71
S201793	3.80	1.14
S201779	2.00	0.6
S201796	6.50	1.95
S201801	7.10	2.13
S201809	3.90	1.17
S201803	4.80	1.44
S201807	5.40	1.62
S201810	3.70	1.11
S201817	5.60	1.68
S201812	5.80	1.74
S201826	4.70	1.41
S201819	0.00	0
S201823	3.60	1.08
S201828	5.60	1.68
S201832	7.20	2.16
S201841	5.20	1.56
S201840	3.10	0.93
S201845	4.10	1.23
S201846	3.70	1.11
S201847	5.50	1.65
PROP58421	3.40	1.02
S201870	2.40	0.72

S201882	3.80	1.14
S201874	3.60	1.08
S201885	8.00	2.4
S201866	3.70	1.11
S201863	4.80	1.44
S201892	4.00	1.2
S201859	4.80	1.44
S201891	2.90	0.87
S201883	5.90	1.77
S201858	5.20	1.56
S201872	5.80	1.74
S201865	1.90	0.57
S201867	2.30	0.69
S201878	6.50	1.95
S201887	3.70	1.11
S201894	1.90	0.57
S201895	4.00	1.2
S201897	3.60	1.08
S201907	2.20	0.66
S201915	2.90	0.87
S201921	3.40	1.02
S201924	3.50	1.05
S201932	5.40	1.62
S201935	6.60	1.98
S201946	6.70	2.01
S201948	5.50	1.65
S201951	4.10	1.23
S201953	3.20	0.96
S201956	2.50	0.75
S201957	3.30	0.99
S201963	7.10	2.13
S201965	3.00	0.9
S201966	3.30	0.99
S201964	4.80	1.44
S201967	3.10	0.93
S201962	2.80	0.84
PROP58061	7.00	2.1
S201974	4.30	1.29
S201977	4.40	1.32
S201980	6.70	2.01
S201985	0.00	0
S201993	5.20	1.56
S202002	2.60	0.78
S202005	2.40	0.72
S202012	2.80	0.84
S202013	0.00	0
S202004	3.80	1.14

S202026	4.00	1.2
S202023	0.00	0
S202038	2.80	0.84
S202036	2.40	0.72
PROP58056	3.60	1.08
S202039	3.90	1.17
S202042	6.10	1.83
S202040	3.60	1.08
S202058	4.50	1.35
S202059	3.50	1.05
S202053	4.90	1.47
S202062	6.40	1.92
S202067	3.80	1.14
S202060	3.40	1.02
S202079	4.30	1.29
S202076	4.50	1.35
S202097	5.10	1.53
S202085	3.70	1.11
S202091	3.00	0.9
S202092	6.90	2.07
S202100	4.30	1.29
S202102	3.60	1.08
S202115	3.10	0.93
S202117	3.50	1.05
S202116	4.20	1.26
S202123	7.20	2.16
S208035	4.10	1.23
S202133	1.80	0.54
S202134	2.80	0.84
S202135	2.90	0.87
S202137	2.90	0.87
S202140	5.80	1.74
S202148	6.00	1.8
S202149	6.00	1.8
S202156	3.00	0.9
S202153	5.40	1.62
S200141	4.40	1.32